

Final bill.

Job order: 016-17-000012.

M. A. R. 57 (Rule 116)
Measurement Book

No. B 221809

Serial No.
Name of Work: Upgrading of street lighting system in to No. 16.
Name of Contractor of nature of Agency: M/s. Kuguma Electricals.
Date of commencement of work:

Date	Full description, etc. of work	Dimensions				Contents	Reference to last measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Supplying of 11KV grade Aerial Bunched cable stranded & covered with PVC sheath for all the distribution and standard messenger all aluminium alloy. The conductor is insulated with insulated messenger with specified 15-14255:1095 & CTP of group - A120 x 25 + 1 x 25 sqmm @ 143.00						17875.00.
	Supplying & fixing of Dead end clamp / Anchor clamp assembly as per specification (excluding hole clamp & eye bolt) CDS-37 Bescon. SR-16-17 @ 315.00						945.00.
	Supplying & fixing of Suspension clamp assembly as per specification (excluding hole clamp & eye bolt) CDS-37 Bescon. SR-16-17 @ 305.00						1525.00

M. A. R. 57 (Rule 116)
Measurement Book

No. B 221811

Serial No.
Name of Work
Name of Contractor of nature of Agency
Date of commencement of work From To

Rate	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
2	to the required ground level & consolidation etc, (see sample) CAS per ceil SP ke 1-2, P-7) in ceil (ordinary) 40' @ 18.0 boiling for lighting (power circuit wiring etc of the insulated floor grade. standard aluminum mesh cladded wire single core cable in open or enclosed od system of wiring as per 15.694/1990 9.50 4 sqmm providing supplying & connecting me box under cell. 200 g available for floor wall wiring, fully detailed per set with provided with in red front cover etc, cableable detailed specification as per schedule B/B 16 SWG each 3500, 2 panels. 0.33 CA 16 SWG 7000 @ 23100.00	3	4	5	6	7	8

CA 16 SWG 7000 @
23100.00

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Referenc to last Measurem 8
		Number 3	Length 4	Breadth 5	Depth 6		
1	2					7	
16	Supply & fixing angle iron bolts, washers etc, & painted with 2 coats of approved primer wiring for lighting power circuit with grade multi-strand copper in open or concealed system of wiring to GTP of Group A perms @ 63.80					cut of m. angle iron a coils of bed on 3682.00 263.0 PVC insulated single core 15-604: 1990 510.00 99776.0 848.0	
	Adjustments Details					98928 98927 98928	
	989 = Total					98928	
	100% of total of bill					98928	
	989 = Total					98928	
	4046 = 0					98928	
	FSD = 0					98928	
	LC = 0					98928	
	000 = 0					98928	
	OTHERS = 0					98928	
	TOTAL = 0					98928	
	Nett: 89927 = 0					98928	